

Silky CATALOG



DE WILD technische
handelmaatschappij
j. de wild b.v.

De Meeten 54, 4706 NH
Roosendaal, Nederland
T: +31 (0) 165 532992
F: +31 (0) 165 554945
E: info@silky-europe.com
W: www.silky-europe.com



Silky 2013-2014

SE-DI-E
SE-DIE DESIGN

UM:KOGYO INC. 1015-1 Kishi-cho Ono Hyogo 675-1343 JAPAN www.silky.jp info@silky.jp 2013.4 60,000

Silky CATALOG

MADE IN JAPAN

ZUBAT 240/270/300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-24	240/9.5	7.5 /6.4	400	1.3	270249
270-27	270/10.6	7.5 /6.4	405	1.3	270270
270-30	300/11.8	7.5 /6.4	480	1.4	270300
270-33	330/13.0	7.5 /6.4	490	1.4	270331

BLADE Code No.	Barcode No. 4903585
271-24	271246
271-27	271277
271-30	271307
271-33	271338

ZUBAT 390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
270-39	390/15.4	7.5 /6.4	726	1.4	270393

BLADE Code No.	Barcode No. 4903585
271-39	271390

SUGOWAZA 420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
419-42	420/16.5	6.5/5.5	710	1.7	419426

BLADE Code No.	Barcode No. 4903585
420-42	420422

KAMISORIME 375



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
264-37	375/14.8	6.5/5.5	665	1.45	264378

BLADE Code No.	Barcode No. 4903585
265-37	265375

ZUBAT 330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
278-33	330/13.0	10 /8.5	490	1.4	278337

BLADE Code No.	Barcode No. 4903585
279-33	279334

SUGOI 360/420



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
390-36	360/14.2	6.5/5.5	650	1.75	390367
390-42	420/16.5	6.5/5.5	725	1.75	390428

BLADE Code No.	Barcode No. 4903585
391-36	391364
391-42	391425

TSURUGI CURVE 210/270/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
454-21	210/8.3	7.5 /6.4	395	1.4	454212
454-27	270/10.6	7.5 /6.4	430	1.5	454274
454-33	330/13.0	7.5 /6.4	465	1.6	454335

BLADE Code No.	Barcode No. 4903585
455-21	455219
455-27	455271
455-33	455332

TSURUGI CURVE 210/270/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
456-21	210/8.3	10/8.5	395	1.4	456216
456-27	270/10.6	10/8.5	430	1.5	456278
456-33	330/13.0	10/8.5	465	1.6	456339

BLADE Code No.	Barcode No. 4903585
457-21	457213
457-27	457275
457-33	457336

IBUKI 390



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
275-39	390/15.4	6.5/5.5	847	2.25	275398

BLADE Code No.	Barcode No. 4903585
276-39	276395

GOMTARO 180/210/240/270/300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
102-18	180/7.0	8 /6.8	350	1.3	102182
102-21	210/8.3	8 /6.8	355	1.3	102212
102-24	240/9.5	8 /6.8	370	1.3	102243
102-27	270/10.6	8 /6.8	385	1.3	102274
102-30	300/11.8	8 /6.8	395	1.3	102304
102-33	330/13.0	8 /6.8	410	1.3	102335

BLADE Code No.	Barcode No. 4903585
103-18	103189
103-21	103219
103-24	103240
103-27	103271
103-30	103301
103-33	103332

GOMTARO Root-Cutting 240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
153-24	240/9.5	8/6.8	370	1.3	153245

BLADE Code No.	Barcode No. 4903585
154-24	154242

GOMTARO 2dangiri 240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
409-24	240/9.5	8+10/6.8+8.5	365	1.3	409243
409-27	270/10.6	8+10/6.8+8.5	385	1.4	409274
409-30	300/11.8	8+10/6.8+8.5	395	1.4	409304

BLADE Code No.	Barcode No. 4903585
410-24	410249
410-27	410270
410-30	410300

GOMTARO 240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
104-24	240/9.5	13 /11.0	360	1.1	104247
104-27	270/10.6	13 /11.0	370	1.1	104278
104-30	300/11.8	13 /11.0	380	1.1	104308

BLADE Code No.	Barcode No. 4903585
105-24	105244
105-27	105275
105-30	105305

GOMTARO Pro-Sentei 240/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
108-24	240/9.5	8+14/6.8+11.9	355	1.1	108245
108-30	300/11.8	8+14/6.8+11.9	400	1.3	108306

BLADE Code No.	Barcode No. 4903585
109-24	109242
109-30	109303

TSURUGI 200/300/400



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
450-20	200/7.9	8/6.8	400	1.5	450207
450-30	300/11.8	8/6.8	455	1.6	450306
450-40	400/15.8	8/6.8	510	1.7	450405

BLADE Code No.	Barcode No. 4903585
451-20	451204
451-30	451303
451-40	451402

TSURUGI 200/300/400



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
452-20	200/7.9	10/8.5	405	1.5	452201
452-30	300/11.8	10/8.5	460	1.6	452300
452-40	400/15.8	10/8.5	515	1.7	452409

BLADE Code No.	Barcode No. 4903585
453-20	453208
453-30	453307
453-40	453406

GOMBOY 7 210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
411-21	210/8.3	10/8.5	355	1.2	411215	122-21	122210
411-24	240/9.5	10/8.5	365	1.3	411246	122-24	122241
411-27	270/10.6	10/8.5	400	1.3	411277	122-27	122272
411-30	300/11.8	10/8.5	415	1.3	411307	122-30	122302

GOMBOY 7 210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
412-21	210/8.3	14/11.9	350	1.1	412212	291-21	291213
412-24	240/9.5	14/11.9	355	1.2	412243	291-24	291244
412-27	270/10.6	14/11.9	400	1.2	412274	291-27	291275
412-30	300/11.8	14/11.9	410	1.2	412304	291-30	291305

NATANOKO 60 300/330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
129-30	300/11.8	7-8/5.9-6.8	465	1.4	129301	130-30	130307
129-33	330/13.0	7-8/5.9-6.8	485	1.4	129332	130-33	130338
401-33	330/13.0	6.5/5.5	475	1.4	401339	402-33	402336

YAMABICO 330



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
407-33	330/13.0	7+10/5.9+8.5	410	1.4	407331	408-33	408338

GOMBOY 7 210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
413-21	210/8.3	7/5.9	360	1.3	413219	295-21	295211
413-24	240/9.5	7/5.9	365	1.3	413240	295-24	295242
413-27	270/10.6	6/5.1	400	1.3	413271	295-27	295273
413-30	300/11.8	6/5.1	415	1.3	413301	295-30	295303

GOMBOY 7 2000 300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
414-30	300/11.8	6.5/5.5	425	1.3	414308	297-30	297307

ZORIN 340/370



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
131-34	340/13.4	5-6.5/4.2-5.5	610	1.7	131342	132-34	132349
131-37	370/14.6	5-6.5/4.2-5.5	640	1.7	131373	132-37	132370

GENKI TEMAGARI 300/330/360/390/500



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
550-30	300/11.8	5-6.5/4.2-5.5	260	1.5	550303
550-33	330/13.0	5-6.5/4.2-5.5	280	1.5	550334
550-36	360/14.2	5-6.5/4.2-5.5	340	1.7	550365
550-39	390/15.4	5-6.5/4.2-5.5	350	1.9	550396
550-50	500/19.7	3-5/2.5-4.2	785	1.7	550501



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
340-13	130/5.0	10/8.5	170	1.1	340133	341-13	341130
340-17	170/6.7	10/8.5	210	1.1	340171	341-17	341178



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
342-13	130/5.0	20/16.9	165	0.9	342137	343-13	343134
342-17	170/6.7	20/16.9	205	0.9	342175	343-17	343172



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
119-21	210/8.3	7.5/6.4	195	1.3	119210	120-21	120216
117-21	210/8.3	14/11.9	195	1.1	117216	118-21	118213



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
442-24	240/9.5	10/8.5	295	1.3	442240	443-24	443247



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
344-13	130/5.0	26/22.0	165	0.85	344131	345-13	345138
344-17	170/6.7	26/22.0	200	0.85	344179	345-17	345176



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
346-13	130/5.0	8/6.8	170	1.1	346135	347-13	347132
346-17	170/6.7	8/6.8	210	1.1	346173	347-17	347170



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
444-24	240/9.5	7.5/6.4	290	1.3	444244	445-24	445241



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
446-24	240/9.5	7.5/6.4	295	1.3	446248	447-24	447245



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
110-16	160/6.3	7.5/6.4	214	1.3	110163	112-16	112167



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
143-18	180/7.0	7.5/6.4	150	1.3	143185	144-18	144182
141-18	180/7.0	14/11.9	150	1.1	141181	142-18	142188



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
113-27	270/10.6	10/8.5	302	1.3	113270	114-27	114277
250-27	270/10.6	20/16.9	302	0.9	250272	251-27	251279



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
121-21	210/8.3	10/8.5	235	1.2	121213	122-21	122210
121-24	240/9.5	10/8.5	270	1.3	121244	122-24	122241
121-27	270/10.6	10/8.5	280	1.3	121275	122-27	122272
121-30	300/11.8	10/8.5	310	1.3	121305	122-30	122302

FOLDING SAWS

FOLDING SAWS

GOMBOY 210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
290-21	210/8.3	14/11.9	230	1.1	290216	291-21	291213
290-24	240/9.5	14/11.9	265	1.2	290247	291-24	291244
290-27	270/10.6	14/11.9	280	1.2	290278	291-27	291275
290-30	300/11.8	14/11.9	305	1.2	290308	291-30	291305

GOMBOY 210/240/270/300



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
294-21	210/8.3	7/5.9	240	1.3	294214	295-21	295211
294-24	240/9.5	7/5.9	270	1.3	294245	295-24	295242
294-27	270/10.6	6/5.1	280	1.3	294276	295-27	295273
294-30	300/11.8	6/5.1	310	1.3	294306	295-30	295303

KATANABOY 500



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
403-50	500/19.7	5/4.2	900	1.9	403500	404-50	404507

KATANABOY 650



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
403-65	650/25.6	4/3.4	1,270	2.4	403654	404-65	404651

BIGBOY 360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
350-36	360/14.2	10/8.5	410	1.3	350361	351-36	351368

BIGBOY 360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
352-36	360/14.2	13/11.0	395	1.1	352365	353-36	353362

WOODBAY dozuki/32teeth/26teeth 240



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
384-24	240/9.5	32/27.1	285	0.66	384243	385-24	385240
388-24	240/9.5	32/27.1	220	0.66	388241	389-24	389248
386-24	240/9.5	26/22.0	218	0.76	386247	387-24	387244

TAKERUBOY 240/270



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
415-24	240/9.5	18/15.2	275	0.85	415244	416-24	416241
415-27	270/10.6	18/15.2	300	0.95	415275	416-27	416272
417-24	240/9.5	24/20.3	275	0.85	417248	418-24	418245
417-27	270/10.6	24/20.3	300	0.95	417279	418-27	418276

BIGBOY 360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
354-36	360/14.2	7/5.9	405	1.3	354369	355-36	355366

BIGBOY 2000 360



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
356-36	360/14.2	6.5/5.5	406	1.4	356363	357-36	357360

TABLE NOCO 180



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
562-18	180/7.0	18/15.2	110	0.95	562184	563-18	563181
564-18	180/7.0	22/18.6	110	0.95	564188	565-18	565185
566-18	180/7.0	26/22.0	110	0.95	566182	567-18	567189

minimini 2 150



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
162-15	150/5.9	24/20.3	135	0.78	162155	163-15	163152
164-15	150/5.9	24/20.3	135	0.82	164159	165-15	165156
166-15	150/5.9	42/35.6	135	0.82	166153	167-15	167150

FOLDING SAWS

FOLDING SAWS

WOODWORKING SAWS

TSUBASA 285



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
334-28	285/11.2	14/11.9	345	0.9	334286	335-28	335283
332-28	285/11.2	18/15.2	340	0.9	332282	333-28	333289
330-28	285/11.2	22/18.6	350	0.9	330288	331-28	331285

HIBIKI 210



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
396-21	210/8.3	22+10/18.6+8.5	346	0.95	396215	397-21	397212

RYOGA 210/240/270



SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
440-21	210/8.3	22+10/18.6+8.5	240	0.95	440215	441-21	441212
440-24	240/9.5	18+10/15.2+8.5	250	0.95	440246	441-24	441243
440-27	270/10.6	14+10/11.9+8.5	255	0.95	440277	441-27	441274

ICON DESCRIPTIONS (for USE)

EXTRA LARGE

FORESTRY
 SE Stamkvistning
 D Forst Pflege
 GB Forestry maintenance
 F La silviculture
 NL Basbouw onderhoud
 I Sylvicultura
 E Silvicultura

ARBORIST
 SE Arborist
 D Baumpflege
 GB Arborist
 F Arboriculture
 NL Boomverzorging
 I Arboricoltura
 E Arboles Ornamentales

MEDIUM

CONSTRUCTION
 SE Byggnation
 D Bau
 GB Construction
 F Bâtiment
 NL Bouw
 I Costruzione
 E Construcción

PRUNING
 SE Trädgård
 D Garten
 GB Gardening
 F Jardiner
 NL Tuinieren
 I Giardianaggio
 E Jardinear

LARGE

PRUNING
 SE Trädgård
 D Garten
 GB Gardening
 F Jardiner
 NL Tuinieren
 I Giardianaggio
 E Jardinear

CONSTRUCTION
 SE Byggnation
 D Bau
 GB Construction
 F Bâtiment
 NL Bouw
 I Costruzione
 E Construcción

ROOT CUTTING
 SE Rotbeskäring
 D Wurzel schneiden
 GB Root cutting
 F Taille de racines
 NL Wortel snoeien
 I Taglio radici
 E Poda De raices

FINE

WOOD WORKING
 SE Snickerier/-arbeiten
 D Holzbearbeitung
 GB Wood-working
 F travail du bois
 NL Houtbewerking

BAMBOO CUTTING
 SE Bambusågning
 D Sägen von Bambus
 GB Bamboo cutting
 F Scier du bambou
 NL Zagen van bamboe
 I Segare bambù
 E Serrar de bambù

EXTRA FINE

DIY & HOBBY
 SE Hobby
 D DIY & Hobby
 GB DIY & Hobby
 F Bricolage & Hobby
 NL DHZ & Hobby
 I Bricolage e hobby
 E Bricolaje & Hobby

WOOD WORKING
 SE Snickerier/-arbeiten
 D Holzbearbeitung
 GB Wood-working
 F travail du bois
 NL Houtbewerking

NATA double edge 150/180/210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
555-15	150/5.9	710	555155	556-15	556152
555-18	180/7.0	750	555186	556-18	556183
555-21	210/8.3	865	555216	556-21	556213
555-24	240/9.5	875	555247	556-24	556244

NATA single edge 150/180/210/240



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
557-15	150/5.9	730	557159	558-15	558156
557-18	180/7.0	750	557180	558-18	558187
557-21	210/8.3	835	557210	558-21	558217
557-24	240/9.5	875	557241	558-24	558248

ONO 120



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
568-10	120/4.7	870	568100	569-10	569107

YOKI 270



SAW Code No.	Blade length mm/in	Weight (g)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
570-27	270/10.6	680	570271	571-27	571278

ICON DESCRIPTIONS (for FUNCTION)



Mirai - Me
 SE Fint snitt
 D Feine Holzschitt
 GB Smooth cutting
 F Coupe le bois finement
 NL Fijne houtsnede
 I Taglie il legno finemente
 E Acero al cromo endurecido



Non - set Teeth
 SE Koniskt
 D Konisch
 GB Conical
 F Conique
 NL Fijne houtsnede
 I Conico
 E Conico



Four rows of teeth
 SE Fyra tandrader
 D Vier Reihe Zähne
 GB Four rows of teeth
 F Quatre rangées de dents juxtaposées
 NL Vier rijen tanden
 I Quattro file di denti justapposte
 E Cuatro filas de dientes



Impulse - hardening
 SE Impulshärdat
 D Impulsiv gehärtet
 GB Impulse hardening
 F Durci impulsivement
 NL Impulsief gehard
 I Indurimento intensivo
 E Endurecido impulsivamente



Sharpenable
 SE Kan slipas
 D Es ist zu feilen
 GB Sharpenable
 F Affûtable
 NL Vijlen mogelijk
 I Affilabile
 E Afilable



FPA - ANERKANNT
 FPA - approved in Germany

TODOKU No.433-17 Extension range 2,350~5,750 mm 7.7~18.9 ft.

LONGBOY 2-Ext No.365-36 Extension range 1,450~3,600 mm 4.8~11.8 ft.

ZUBAT 1-Ext 1200 No.272-12 Extension range 1,750~2,650 mm 5.7~8.7 ft.

ZUBAT 1-Ext 1500 No.272-15 Extension range 2,000~3,300 mm 6.6~10.8 ft.

ZUBAT 1-Ext 1800 No.272-18 Extension range 2,350~3,850 mm 7.7~12.6 ft.

FORESTER 2-Ext 3000 No.273-30 Extension range 1,700~3,000 mm 5.6~9.8 ft.

FORESTER 2-Ext 4500 No.273-45 Extension range 2,200~4,500 mm 7.2~14.8 ft.

HAYAUCHI IPPON No.426-39 Fixed length pole saw 2,440 mm 8 ft.

HAYAUCHI 1-Ext No.177-39 Extension range 2,280~3,700 mm 7.5~12.1 ft.

HAYAUCHI 2-Ext No.178-39 Extension range 2,350~4,900 mm 7.7~16.1 ft.

HAYAUCHI 3-Ext No.179-39 Extension range 2,440~6,300 mm 8~20.7 ft.

HAYAUCHI 4-Ext 4000 No.186-48 Extension range 1,840~4,030 mm 6~13.2 ft.

HAYAUCHI 4-Ext 5000 No.187-48 Extension range 2,040~5,000 mm 6.7~16.4 ft.

HAYAUCHI 4-Ext 6400 No.188-48 Extension range 2,320~6,400 mm 7.6~21 ft.

HAYATE IPPON No.427-39 Fixed length pole saw 2,480 mm 8.1 ft.

HAYATE 1-Ext No.370-42 Extension range 2,400~3,800 mm 7.9~12.5 ft.

HAYATE 2-Ext No.371-42 Extension range 2,400~5,000 mm 7.9~16.4 ft.

HAYATE 3-Ext No.372-42 Extension range 2,400~6,100mm 7.9~20 ft.

TODOKU EXTRA LARGE

LONGBOY LARGE

ZÜBAT LARGE

FORESTER LARGE

Hayauchi EXTRA LARGE

HAYATE EXTRA LARGE

LONGBOY 360

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
365-36	360/14.2	7.5 /6.4	2,070	1.4	365365

BLADE Code No.	Barcode No. 4903585
366-36	366362

ZUBAT 1200/1500/1800 330

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
272-12	330/13.0	7.5 /6.4	1,360	1.4	272120
272-15	330/13.0	7.5 /6.4	1,530	1.4	272151
272-18	330/13.0	7.5 /6.4	1,710	1.4	272182

BLADE Code No.	Barcode No. 4903585
271-33	271338

FORESTER 3000/4500 380

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
273-30	380/15.0	7.5/6.4	1,780	1.7	273301
273-45	380/15.0	7.5/6.4	2,260	1.7	273455

BLADE Code No.	Barcode No. 4903585
274-38	274384

HAYAUCHI IPPON / 1-Ext / 2-Ext / 3-Ext / 4-Ext 390/480

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
426-39	390/15.4	6.5/5.5	1,655	2.3	426394
177-39	390/15.4	6.5/5.5	2,100	2.3	177395
178-39	390/15.4	6.5/5.5	2,650	2.3	178392
179-39	390/15.4	6.5/5.5	3,280	2.3	179399

BLADE Code No.	Barcode No. 4903585
177-02-03	Blade only 177029
177-02-41	Blade with cover & pipe 177043

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
186-48	480/18.9	6.5/5.5	2,950	2.3	186489
187-48	480/18.9	6.5/5.5	3,300	2.3	187486
188-48	480/18.9	6.5/5.5	3,830	2.3	188483

BLADE Code No.	Barcode No. 4903585
186-02	Blade only 186021
189-60	Sickle 189602
186-04	Blade with cover & pipe 186045

HAYATE IPPON / 1-Ext / 2-Ext / 3-Ext 420

SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585
427-39	420/16.5	6.5/5.5	1,885	1.7	427391
370-42	420/16.5	6.5/5.5	2,470	1.7	370420
371-42	420/16.5	6.5/5.5	3,170	1.7	371427
372-42	420/16.5	6.5/5.5	3,930	1.7	372424

BLADE Code No.	Barcode No. 4903585
373-42	Blade only 373421
374-42	Blade with cover , pipe & sickle 374428
376-42	Blade with cover & pipe w/o sickle 376422
375-70	Sickle 375708



POLE SAWS

POLE SAWS